

Health status of prisoners in Canada

Narrative review

Fiona Kouyoumdjian MD PhD CCFP FRCPC André Schuler PhD Flora I. Matheson PhD Stephen W. Hwang MD MPH FRCPC

Abstract

Objective To review the literature for quantitative research on the health status of persons in custody in provincial, territorial, and federal correctional facilities in Canada, and summarize recent evidence.

EDITOR'S KEY POINTS

- The health of persons who experience detention or incarceration in provincial, territorial, and federal facilities is poor compared with the general Canadian population.
- Health status data can be used to improve health care services and health for this population, with potential benefits for all Canadians, such as decreasing health care costs, improving health in the general population, improving public safety, and decreasing re-incarceration. The time in custody provides an opportunity to intervene.
- Information on health status is also important for defining areas of focus for improving health and health care. Health care in correctional facilities is largely delivered by government authorities in Canada, which makes the lack of data on some key indicators of health striking.

POINTS DE REPÈRE DU RÉDACTEUR

- L'état de santé des personnes en détention ou incarcérées dans les établissements provinciaux, territoriaux et fédéraux est médiocre par rapport à celui de la population canadienne en général.
- Il est possible d'utiliser les données sur l'état de santé pour améliorer les services médicaux et la santé dans cette population et, ce faisant, apporter potentiellement des avantages à tous les Canadiens en réduisant les coûts des soins de santé, en améliorant la santé et la sécurité publique dans l'ensemble de la population et en diminuant les incarcérations répétées. Le temps passé en détention donne l'occasion d'intervenir.
- Les renseignements sur l'état de santé revêtent aussi de l'importance pour définir les domaines où il est prioritaire d'améliorer la santé et les soins. Au Canada, les soins de santé dans les établissements correctionnels sont majoritairement fournis par les autorités gouvernementales et il est donc étonnant que les données sur certains indicateurs clés soient insuffisantes.

This article has been peer reviewed.
Cet article a fait l'objet d'une révision par des pairs.
Can Fam Physician 2016;62:215-22

Quality of evidence A search was performed in research databases and the websites of relevant Canadian governmental and non-governmental organizations for quantitative studies of health conducted between 1993 and 2014. Studies were included that provided quantitative data on health status for youth or adults who had been detained or incarcerated in a jail or prison in Canada.

Main message The health status of this population is poor compared with the general Canadian population, as indicated by data on social determinants of health, mortality in custody, mental health, substance use, communicable diseases, and sexual and reproductive health. Little is known about mortality after release, chronic diseases, injury, reproductive health, and health care access and quality.

Conclusion Health status data should be used to improve health care and to intervene to improve health for persons while in custody and after release, with potential benefits for all Canadians.

L'état de santé des détenus au Canada

Révision narrative

Résumé

Objectif Passer en revue la documentation portant sur les recherches quantitatives concernant l'état de santé des personnes en détention dans les établissements correctionnels provinciaux, territoriaux et fédéraux au Canada et faire la synthèse des données probantes récentes.

Qualité des données Une recension a été effectuée dans les bases de données de recherche et les sites web des organisations gouvernementales et non gouvernementales canadiennes pour trouver des études quantitatives sur la santé réalisées entre 1993 et 2014. Les études qui comportaient des données quantitatives sur l'état de santé des jeunes ou des adultes détenus ou incarcérés dans une prison ou un établissement correctionnel au Canada ont été retenues.

Message principal L'état de santé de cette population est médiocre par rapport à celui de la population canadienne en général, comme le font valoir les données sur les déterminants sociaux de la santé, la mortalité en détention, la santé mentale, la toxicomanie, les maladies transmissibles et la santé sexuelle et de la reproduction. On en sait très peu à propos de la mortalité, des maladies chroniques, des blessures, de la santé de la reproduction, de même qu'en ce qui a trait à l'accessibilité et à la qualité des soins de santé après la libération.

Conclusion On devrait utiliser les données sur l'état de santé pour améliorer les soins de santé et intervenir pour que ces personnes soient en meilleure santé pendant et après leur détention, ce qui pourrait être bénéfique pour tous les Canadiens.

More than 11 million people are imprisoned worldwide at any given time,¹ and more than 30 million move through the prison system annually.² In Canada, there are more than 250 000 adult admissions each year to correctional facilities, about 8000 of which are to federal custody, and there are 14 000 youth admissions each year.^{3,4} On an average day, there are about 40 000 people in correctional facilities.⁵⁻⁷

In Canada, the federal and provincial or territorial governments share jurisdiction over correctional institutions. Persons who are sentenced to less than 2 years or who are detained before sentencing (remanded) serve time in provincial and territorial facilities, whereas persons who are sentenced to 2 years or longer serve time in federal facilities. Health care in custody might be delivered by the governmental authority responsible for health, as in Nova Scotia and Alberta, by the governmental authority responsible for corrections, as in federal facilities and in Ontario, or contracted out to a private company, as in British Columbia.

Standards for health care in federal facilities are defined in the federal *Corrections and Conditional Release Act*.⁸ In provincial facilities, federal legislation such as the *Canada Health Act* remains applicable to health care delivery,⁹ and provincial or territorial legislation might also apply (eg, the *Ontario Health Protection and Promotion Act*¹⁰). The United Nations states that "Prisoners shall have access to the health services available in the country without discrimination on the grounds of their legal situation."¹¹ However, this obligation is not consistently met in Canada.¹²⁻¹⁶

Given the large number of persons in custody each year in Canada and that the median length of detention is less than 1 month,³ most physicians in Canada likely encounter people either while in custody or after release. Knowledge about the health of this population is important to ensure appropriate care and to inform programs

and policies to improve health. In this article, we describe the health status of people who experience detention or incarceration in correctional facilities in Canada, and we highlight opportunities to improve health.

Quality of evidence

We performed a search of quantitative studies of health conducted between 1993 and 2014. We searched MEDLINE, PsycINFO, EMBASE, the Cochrane Library, Social Sciences Abstracts, Social Services Abstracts, Sociological Abstracts, CINAHL, Criminal Justice Abstracts, ERIC, ProQuest Criminal Justice, ProQuest Dissertations and Theses, Web of Science, and Scopus in April 2014, and we also searched the websites of relevant Canadian governmental and non-governmental organizations. The search strategy is available from the corresponding author (F.K.) on request.

We included studies that provided quantitative data on health status^{17,18} for youth and adults who had been detained or incarcerated in a jail or prison in Canada. We included studies that were conducted from 1993 to 2014 in order to capture data that reflect the current health status of this population.

Two reviewers (F.K. and A.S.) independently reviewed titles and abstracts for eligibility for inclusion, and 1 reviewer (F.K. or A.S.) reviewed each full article and extracted relevant data. Where the same data were reported across multiple publications, we included the publication that was most recent or that reported more comprehensive data. In some cases in which many studies had been conducted on a given risk factor or condition, we reported only data from key studies (eg, studies that were more recent or that had larger samples), as the main goal of our study was to describe the health status of this population.

Main message

Health status

Social determinants of health: More than 50% of those admitted to sentenced custody are younger than 35 years of age, compared with less than one-third of the Canadian population, and the median age of those admitted to remand ranges between 28 and 33 years across the provinces and territories.³ About 1 in 10 adult admissions to federal, provincial, or territorial custody are for women,³ and 1 in 5 youth admissions are for girls.⁴ About 1 in 4 admissions are for aboriginal persons, while they make up only 4% of the general population.^{3,4}

Most persons in custody have experienced substantial adverse events in childhood, such as witnessing family violence, having 1 or more parents absent, or being involved with the child welfare system.¹⁹⁻³² At least half report a history of childhood physical, sexual, or emotional abuse.^{19,21-23,25,28-50} About 15% to 20% of aboriginal persons in federal facilities have attended residential schools.^{29,51}

The socioeconomic status of this population is low, as indicated by a lack of housing,^{30,52-55} low employment rates,^{22,26,30,52,54,56-58} low educational achievement,^{30,58} and low income status.^{58,59} One-fifth of men in provincial custody in Toronto, Ont, in 2009 and 2010 reported being homeless at the time of admission,⁵⁴ and more than half of youth in custody in British Columbia in 2012 and 2013 had been homeless at some time.²² Most adults in custody have not completed high school^{30,58} (eg, more than 55% of people admitted to federal custody in 2011 had less than a grade 10 education³⁰), whereas only 19% of all Canadian adults have not obtained a high school diploma.⁶⁰

Mortality: A large number of persons die in custody each year^{61,62}: 536 persons died in federal custody between 2003 and 2013, and 327 died in provincial or territorial custody between 2001 and 2010.^{63,64} Mortality rates are higher for persons in custody than for the general population⁶²: in Ontario between 1990 and 1998, the crude mortality rate for men in federal facilities was 420.1 per 100 000 and in provincial facilities it was 211.5 per 100 000, compared with a rate of 187.5 per 100 000 in men with a similar age distribution in the general population. This is remarkable, as persons in custody are protected from many types of unintentional injuries, which are the leading cause of death in the general population for persons aged 25 to 44.⁶⁵ Rates of suicide and homicide are particularly high compared with the general population,^{63,64} with suicide rates of 70 per 100 000 in federal custody and 43 per 100 000 in provincial custody compared with the overall Canadian rate of 10.2 per 100 000, and homicide rates of 22 per 100 000 in federal custody and 2.3 per 100 000 in provincial custody compared with the overall Canadian rate of 1.6 per 100 000.

International data consistently show high mortality rates subsequent to release from custody,² including from preventable causes such as overdose⁶⁶⁻⁷¹; however, there are no Canadian data on rates or causes of death after release.

Mental health and substance use: Most persons in correctional facilities have mental disorders as defined by the *Diagnostic and Statistical Manual of Mental Disorders*.^{22,23,28,32,35,39,52,58,72-84} Among men in provincial custody in Edmonton, Alta, lifetime prevalence rates and the corresponding rates in the general population of men were 91.7% versus 43.7% for any disorder, 87.2% versus 39.6% for substance use disorders, 56.7% versus 8.6% for antisocial personality, 22.8% versus 12.0% for affective disorders, 2.2% versus 0.5% for schizophrenia, and 1.1% versus 0.4% for cognitive impairment.⁷³ Similarly, men in federal detention in British Columbia in 1999 had lifetime rates 2 to 3 times greater than men in a community sample with respect to mood disorders, schizophrenia, anxiety disorders, substance use disorders, and eating disorders.⁸³ In 2 studies, more than 4 of 5 youth in detention in British Columbia and Ontario,

respectively, met criteria for at least 1 disorder in the *Diagnostic and Statistical Manual of Mental Disorders*,^{28,32} compared with 30.6% in the general community sample in the Ontario study.³²

The recent tragic and preventable deaths of young persons in federal custody^{85,86} have brought international attention to the high rates of suicide and self-injury in persons in custody in Canada.^{19,22,23,38,45,52,55,73,74,87-98} Most studies have found that more than 1 in 5 persons in custody have attempted suicide.^{38,52,73,74,88-90,92,94,95,99} Of men in provincial custody in Edmonton, 22.8% had attempted suicide, which was 7.1 times the expected rate.⁷³ In 2012 and 2013, 13% of youth in custody in British Columbia had seriously considered suicide and 10% had attempted suicide in the past year.²²

Regarding substance use, many persons in custody report having initiated alcohol and drug use at a young age.^{22,23,29,55,100,101} More than two-thirds of adults and youth in custody are current smokers^{22,97,102} compared with 16% of all Canadians.¹⁰³ Alcohol use is very common in this population, as is risk behaviour such as binge drinking and drinking and driving.^{21,22,24,48,55,92,104-107} Regarding drug use, most people report recent use at the time of admission to custody,^{22,52,57,100,101,108,109} and injection drug use is common,^{52,53,56,97,108-120} with about 1 in 10 adults reporting having injected in the months before admission and 1 in 20 youth reporting ever injecting.^{20,21,52,53,108,109,114,115,121} People continue to use drugs in custody,^{22,56,57,97,112,114,122-124} including by injection.^{56,97,107,109,113,114,117-119,125}

Time in custody might serve as a unique opportunity to offer services and information to persons using substances who might otherwise be hard to reach. There is good evidence for interventions in custody and after release to reduce smoking,¹²⁶ drug use, and associated risk behaviour after release.¹²⁷

Communicable diseases: Tuberculosis is relatively common in persons in federal custody, at 22.4 active cases per 100 000 compared with 4.6 per 100 000 in the general population.¹²⁸ Of persons in federal custody in 2007 and 2008, 15.9% were infected with latent tuberculosis, and the estimated annual rate of skin test conversion during incarceration was 1.2%.¹²⁹

Several large serologic studies have identified that blood-borne infections are very common in adults in custody.^{117,119,121,130-135} About 30% of those in federal facilities and 15% of men and 30% of women in provincial facilities are infected with hepatitis C,^{118,119,129,130,132,134} and between 1% and 2% of men and 1% and 9% of women are infected with HIV.^{117-119,129-131,133,136} There is evidence that people contract blood-borne infections while in custody, eg, the estimated incidence rate of hepatitis C for men in federal custody in 2007 was 16 infections per 1000 person-years.^{109,137} Sharing needles and tattooing and piercing equipment, including in custody, likely contributes to these high rates.^{21,53,97,114,115,118,119,121,137,138}

Sexually transmitted infections, such as chlamydia and gonorrhea, are also prevalent.^{21,22,48,49,108,129,139} About 1 in 7 youth in British Columbia in 2012 and 2013 and 1 in 7 men in a provincial facility in Ontario in 2009 reported a history of sexually transmitted infections.^{22,108,139} In 2007 and 2008, 0.9% of men and 2.8% of women in federal custody were diagnosed with chlamydia, 0.1% of men and 0.6% of women with gonorrhea, and 0.1% of men and 0.9% of women with syphilis.¹²⁹ In the 2009 Ontario study, 2.9% of men had positive test results for chlamydia and 0.6% for gonorrhea on admission.¹³⁹

Vaccination rates might be suboptimal in this population,¹⁴⁰ and Canadian and international research indicates that recommended vaccinations could be effectively delivered while in custody.^{127,140,141}

Chronic diseases: Little is known about chronic diseases in this population. There is some evidence that cardiovascular disease, diabetes, and asthma and other respiratory diseases occur at higher than expected rates,^{53,63} but high-quality data are lacking. Three studies have identified an epilepsy prevalence between 1% and 4%.^{21,48,74} While no data are available on cancer incidence or prevalence, 2 studies described the results of cervical cancer screening.^{49,142} One found abnormal test results in 16% of girls,⁴⁹ and the other found that the proportion of findings of high-grade lesions was higher than in the general population.¹⁴²

Sexual and reproductive health: Most people in custody report having been sexually active in the months preceding admission to custody,^{22,48,53,109,113,119,143} and a minority of persons report having sex while in custody.^{97,109,137} Sexual risk behaviour is common, such as early sexual debut,^{22,121} a high number of lifetime sexual partners,^{22,23,113,139} inconsistent condom use,^{22,23,97,117,119,121,139,144} sex with high-risk partners such as persons who inject drugs,^{119-121,137,145} and involvement in commercial sex.^{56,113,116,117,119,120,146}

Little is known about the reproductive health status of people who experience detention or incarceration. More than half of adults have had children,^{38,57,116,147} and about 1 in 3 youth in British Columbia in 2012 and 2013 had been pregnant (for girls) or caused a pregnancy (for boys).²² A 2014 study in Ontario found that women in provincial custody had been pregnant an average of 4 times, at least 5% were currently pregnant, and more than half had had a therapeutic abortion.¹⁴⁸ Given that only 1 in 5 women who were sexually active and did not want to get pregnant were using contraception before admission to custody,¹⁴⁸ interventions to improve access to contraception might be appropriate in this population.¹⁴⁹

Injury: Limited data suggest that rates of unintentional injury are high and are often associated with substantial consequences.^{21,22,25,36,48,150} More than 1 in 2 youth in British Columbia in 2012 and 2013 had been injured seriously enough in the year before entering

custody to require medical attention.²² Three studies found that head injury was common in this population,^{25,36,150} and in 2 studies more than half of men had evidence of traumatic brain injury.^{25,150}

Health care

Health care use: Recent data are lacking on health care use. In the 1990s, most persons in federal custody saw a family physician while in custody^{53,97} at a rate higher than expected for the general population.⁵³ Of those in federal custody, 5% had visited the emergency department during their incarceration, with a mean of 0.1 visits per year, and 3% had been admitted to a community hospital and 10% to a regional hospital.⁵³ The mean number of visits to a dentist was 1.7 per year.⁵³

No Canadian data are available on access to primary care or general medical care in the community before admission or after release from custody. Such data could inform the role of health care services in custody, eg, whether preventive care services such as screening could reasonably be deferred until after release for those with a short length of stay or whether care in custody should be more comprehensive. Recent US data reveal low rates of primary care access and high rates of emergency department use and hospitalization after release.¹⁵¹⁻¹⁵³

Rates of outpatient mental health care before admission vary across studies.^{52,92,154} Overall, 6.3% of men admitted to a Quebec provincial facility in the 1990s reported previous psychological treatment,⁹² 11.3% of 97 women in British Columbia in 1999 had had a mental health assessment and 28.9% had accessed mental health treatment,⁵² and 8.7% of women and 5.9% of men admitted to federal custody in 2007 and 2008 had used psychiatric outpatient services.¹⁵⁴ A large number of persons report previous hospitalization for psychiatric illness. The rate of psychiatric hospitalization before admission was 9.2% of 97 women in custody in British Columbia in 1999,⁵² and 30.1% of women and 14.5% of men admitted to federal custody in 2007 and 2008.¹⁵⁴ About half of those in federal custody receive some mental health service in custody,^{30,63,97} and the psychiatric hospitalization rate in 2000 to 2001 was 69 per 1000 inmates, with an average length of stay ranging across regions from 147 to 232 days.⁵³

Disease screening: In federal facilities, screening rates for tuberculosis and blood-borne infections are high, with recent data revealing that more than 70% of persons were screened for HIV, hepatitis C, and tuberculosis during their current incarceration.^{109,129} Screening for blood-borne infections might occur less frequently in provincial facilities,¹¹³ which could explain a relatively high proportion of persons not knowing about their HIV and hepatitis C infection status.¹⁴¹

Screening for mental health problems is typically done as part of routine intake procedures,¹⁵⁵ and there is some evidence that existing screening tools in some

jurisdictions might not adequately identify mental health problems, including risk of suicide.^{94,156}

Only 15% of women in British Columbia in 1995 and less than 50% of girls in Ontario from 2003 to 2006 had Papanicolaou testing in custody.^{49,142} Of women in custody in British Columbia in 2000 and 2001, 60% had been screened in the 30 months before admission, and of those who participated in a Pap testing intervention, only 50% were rescreened within 3 years.¹¹⁶ No data are available on colorectal and breast cancer screening.

Treatment: A large proportion of persons in custody use prescribed medications,^{38,157,158} in particular psychotropic medications.^{52,82,92} At the time of intake to federal custody in 2007 to 2008, about 1 in 3 women and 1 in 5 men were using prescribed psychiatric medication,¹⁵⁴ and in 2013, 63% of women in federal custody were using prescribed psychotropic medication.⁶³

The HIV treatment rate for persons with HIV in federal custody in 2007 to 2008 was 64.4%,¹²⁹ and almost half of those being treated for HIV in 2007 had missed their medications while in federal custody for at least 1 day because of temporary unavailability of medications at institutional pharmacies or transfers between institutions.¹³⁷ Studies of persons in federal custody have identified high rates of hepatitis C treatment adherence¹⁵⁹ and completion¹⁶⁰ in custody, high rates of treatment continuity after release with the support of a tailored program,¹⁶¹ and similar treatment effectiveness rates to those in the community.^{137,159-163}

Limitations

There are several limitations to the data presented and to this review. As noted elsewhere,¹⁶⁴ most of the studies conducted to date on the health status of this population have been cross-sectional, which might be associated with oversampling of persons who are in custody for longer periods. Most studies did not include a representative sample of persons in custody in Canada, and focused only on persons in federal custody or population subgroups. These issues might have affected the internal validity of the included studies and the generalizability of estimates to the whole population of persons in custody. While we used a broad and comprehensive search strategy, we might have missed some relevant studies, including those published outside of our search period and those in the gray literature. Similar to most narrative reviews, we did not appraise the quality of included studies, as our main goal was to provide a broad perspective on the health status of this population.¹⁶⁵

Conclusion

Canadians in correctional facilities have poor health across a range of health status indicators, a finding that is consistent with international data on persons who experience imprisonment.¹⁶⁶ This information is relevant

to physicians who assess and treat persons while in custody or after release, as it might inform history taking, counseling regarding pretest probability, investigations, and management strategies.

Information on health status is also important for defining areas of focus for improving health and health care. Health care in correctional facilities is largely delivered by government authorities in Canada, which makes the lack of data on some key indicators of health striking, including on mortality after release, chronic diseases, injury, and health care access and quality. Among other measures, the implementation of electronic medical records, which are still not available in correctional facilities in many jurisdictions, could facilitate the collection and management of data on many health status indicators.

The time in custody provides an opportunity to intervene to improve health, and an emerging literature on effective interventions in custody and after release suggests starting points for change,¹²⁷ such as linkage with primary care and navigation services at the time of release from custody.^{152,167} Improving health in people who experience detention and incarceration is an important goal, and could lead to valuable secondary benefits for society, such as decreasing health care costs,¹⁶⁸ improving health in the general population,¹⁶⁸⁻¹⁷³ improving public safety,¹⁶⁸ and decreasing re-incarceration.^{168,174,175}

Dr Kouyoumdjian is a postdoctoral fellow at the Centre for Research on Inner City Health at St Michael's Hospital in Toronto, Ont, and a family physician at the Hamilton-Wentworth Detention Centre in Hamilton, Ont. **Dr Schuler** is Research Coordinator and **Dr Matheson** is a research scientist at the Centre for Research on Inner City Health at St Michael's Hospital. **Dr Hwang** is a research scientist at the Centre for Research on Inner City Health at St Michael's Hospital and a general internist in the Division of General Internal Medicine in the Department of Medicine at the University of Toronto.

Contributors

Dr Kouyoumdjian led the study and drafted the manuscript. **Drs Kouyoumdjian** and **Schuler** conducted the review and extracted data. All authors contributed to the study design and manuscript preparation.

Competing interests

None declared

Correspondence

Dr Fiona Kouyoumdjian; e-mail kouyoumdjiaf@smh.ca

References

1. Walmsley R. *World prison population list*. 10th ed. London, UK: International Centre for Prison Studies; 2013.
2. Kinner SA, Forsyth S, Williams G. Systematic review of record linkage studies of mortality in ex-prisoners: why (good) methods matter. *Addiction* 2013;108(1):38-49. Epub 2012 Nov 19.
3. Perrault S. *Admissions to adult correctional services in Canada, 2011/2012*. Ottawa, ON: Statistics Canada; 2014. Available from: www.statcan.gc.ca/pub/85-002-x/2014001/article/11918-eng.htm. Accessed 2014 Dec 14.
4. Perrault S. *Admissions to youth correctional services in Canada, 2011/2012*. Ottawa, ON: Statistics Canada; 2014. Available from: www.statcan.gc.ca/pub/85-002-x/2014001/article/11917-eng.htm. Accessed 2014 Sep 22.
5. Statistics Canada. *Table 251-0005. Adult correctional services, average counts of offenders in provincial and territorial programs*. Ottawa, ON: Statistics Canada; 2014. Available from: www5.statcan.gc.ca/cansim/a05?lang=eng&id=2510005&pattern=2510005&searchTypeByValue=1&p2=35. Accessed 2014 Sep 22.
6. Statistics Canada. *Table 251-0006. Adult correctional services, average counts of offenders in federal programs*. Ottawa, ON: Statistics Canada; 2014. Available from: www5.statcan.gc.ca/cansim/a05?lang=eng&id=2510006&pattern=2510006&searchTypeByValue=1&p2=35. Accessed 2014 Sep 22.
7. Statistics Canada. *Table 251-0008. Youth correctional services, average counts of young persons in provincial and territorial correctional services*. Ottawa, ON: Statistics Canada; 2014. Available from: www5.statcan.gc.ca/cansim/a05?lang=eng&id=2510008&pattern=2510008&searchTypeByValue=1&p2=35. Accessed 2014 Sep 22.
8. *Corrections and Conditional Release Act*. SC 1992 c 20. Available from: <http://laws-lois.justice.gc.ca/eng/acts/C-44.6/20021231/P1TT3xt3.html>. Accessed 2014 Sep 18.
9. *Canada Health Act*. RSC 1985 c C-6. Available from: <http://laws-lois.justice.gc.ca/eng/acts/C-6/FullText.html>. Accessed 2014 Nov 25.

10. *Health Protection and Promotion Act*. RSO 1990 c H.7. Available from: www.e-laws.gov.on.ca/html/statutes/english/elaws_statutes_90h07_e.htm. Accessed 2014 Nov 25.
11. General Assembly of the United Nations. *Basic principles for the treatment of prisoners*. New York, NY: United Nations; 1990. Available from: www.un.org/documents/ga/res/45/a45r111.htm. Accessed 2015 Feb 1.
12. Miller A. Prison health care inequality. *CMAJ* 2013;185(6):E249-50. Epub 2013 Mar 4.
13. Flegel K, Bouchard F. Let us get prison health care out of jail. *CMAJ* 2013;185(4):281.
14. MacDonald N, Hucker SJ, Hébert PC. The crime of mental illness. *CMAJ* 2010;182(13):1399. Epub 2010 May 31.
15. Miller A. Health and hard time. *CMAJ* 2013;185(3):E139-40. Epub 2013 Jan 21.
16. United Nations Office of the High Commissioner for Human Rights. *Committee against torture. Forty-eighth session. 7 May–1 June 2012*. New York, NY: United Nations; 2012. Available from: <http://www2.ohchr.org/english/bodies/cat/docs/CAT.C.CAN.CO.6.doc>. Accessed 2014 Nov 25.
17. Canadian Institute for Health Information. *Health indicators 2012*. Ottawa, ON: Canadian Institute for Health Information, Statistics Canada; 2012. Available from: https://secure.cihi.ca/free_products/health_indicators_2012_en.pdf. Accessed 2016 Jan 22.
18. Public Health Agency of Canada. *Determinants of health: what makes Canadians healthy or unhealthy?* Ottawa, ON: Public Health Agency of Canada; 2011. Available from: www.phac-aspc.gc.ca/ph-sp/determinants/index-eng.php#determinants. Accessed 2014 Sep 19.
19. Viljoen JL, O'Neill ML, Sidhu A. Bullying behaviors in female and male adolescent offenders: prevalence, types, and association with psychosocial adjustment. *Aggress Behav* 2005;31(6):521-36. Epub 2005 Jun 27.
20. Goldberg E, Millson P, Rivers S, Manning SJ, Leslie K, Read S, et al. A human immunodeficiency virus risk reduction intervention for incarcerated youth: a randomized controlled trial. *J Adolesc Health* 2009;44(2):136-45. Epub 2008 Nov 7.
21. Murphy A, Chittenden M. *Time out II. A profile of BC youth in custody*. Vancouver, BC: McCreary Centre Society; 2005. Available from: www.mcs.bc.ca/pdf/time_out_2.pdf. Accessed 2016 Jan 25.
22. Smith A, Cox K, Poon C, Stewart D. *Time out III. A profile of BC youth in custody*. Vancouver, BC: McCreary Centre Society; 2013. Available from: www.mcs.bc.ca/pdf/Time_Out_III.pdf. Accessed 2014 Dec 1.
23. Campbell MA, Porter S, Santor D. Psychopathic traits in adolescent offenders: an evaluation of criminal history, clinical, and psychosocial correlates. *Behav Sci Law* 2004;22(1):23-47.
24. Cesaroni C, Peterson-Badali M. Young offenders in custody: risk and adjustment. *Crim Justice Behav* 2005;32(3):251-77.
25. Colantonio A, Kim H, Allen S, Asbridge M, Petgrave J, Brochu S. Traumatic brain injury and early life experiences among men and women in a prison population. *J Correct Health Care* 2014;20(4):271-9. Epub 2014 Jul 17.
26. Dowden C, Blanchette K. *An investigation into the characteristics of substance-abusing women offenders: risk, need, and post-release outcome*. Ottawa, ON: Correctional Service of Canada; 1999. Available from: www.csc-ccc.gc.ca/research/092/r81_e.pdf. Accessed 2014 Dec 2.
27. Finlay J. Keeping kids safe in custody: youths' perceptions of safety while incarcerated in Canada [dissertation]. *Diss Abstr Int* 2009;70(12-A):4864.
28. Gretton HM, Cliff RJ. The mental health needs of incarcerated youth in British Columbia, Canada. *Int J Law Psychiatry* 2011;34(2):109-15. Epub 2011 Mar 31.
29. Johnston JC. *Aboriginal offender survey: case files and interview sample*. Ottawa, ON: Correctional Service of Canada; 1997. Available from: www.csc-ccc.gc.ca/research/r61e-eng.shtml. Accessed 2014 Jul 25.
30. Martin MS, Dorken SK, Colman I, McKenzie K, Simpson AI. The incidence and prediction of self-injury among sentenced prisoners. *Can J Psychiatry* 2014;59(5):259-67.
31. Mowat-Leger V. Risk factors for violence: a comparison of domestic batterers and other violent and non-violent offenders [dissertation]. *Diss Abstr Int* 2001;63(4-B):2046.
32. Ulzen TP, Hamilton H. The nature and characteristics of psychiatric comorbidity in incarcerated adolescents. *Can J Psychiatry* 1998;43(1):57-63.
33. Wanklyn SG, Day DM, Hart TA, Girard TA. Cumulative childhood maltreatment and depression among incarcerated youth: impulsivity and hopelessness as potential intervening variables. *Child Maltreat* 2012;17(4):306-17. Epub 2012 Nov 22.
34. Marshall WL, Serran GA, Cortoni FA. Childhood attachments, sexual abuse, and their relationship to adult coping in child molesters. *Sex Abuse* 2000;12(1):17-26.
35. Swihart G. Female offenders: attachment and parenthood [dissertation]. *Diss Abstr Int* 2004;64(10-B):5266.
36. Power J, Usher A. *Correlates and trajectories to self-injurious behaviour in federally sentenced men*. Ottawa, ON: Correctional Service of Canada; 2011. Available from: www.publicsafety.gc.ca/lbr/archives/cn21461-eng.pdf. Accessed 2014 Jun 17.
37. Day DM, Hart TA, Wanklyn SG, McCay E, Macpherson A, Burnier N. Potential mediators between child abuse and both violence and victimization in juvenile offenders. *Psychol Serv* 2013;10(1):1-11. Epub 2012 Aug 27.
38. Chubaty DE. Victimization, fear, and coping in prison [dissertation]. *Diss Abstr Int* 2001;62(2-B):1071.
39. Dietrich A. Childhood maltreatment and revictimization: the role of affect dysregulation, interpersonal relatedness difficulties and posttraumatic stress disorder. *J Trauma Dissociation* 2007;8(4):25-51.
40. Dietrich AM. PTSD and associated features as predictors of revictimization and perpetration with samples of adults abused during childhood [dissertation]. *Diss Abstr Int* 2003;64(12-B):6325.
41. Allenby K, Taylor K, Cossette M, Fortin D. *A profile of women who sexually offend*. Ottawa, ON: Correctional Service of Canada; 2012. Available from: www.csc-ccc.gc.ca/research/005008-0274-eng.shtml. Accessed 2014 Jul 29.
42. Reckdenwald A, Mancini C, Beauregard E. The cycle of violence: examining the impact of maltreatment early in life on adult offending. *Violence Vict* 2013;28(3):466-82.
43. Beauregard E, Stone MR, Proulx J, Michaud P. Sexual murderers of children: developmental, precrime, crime, and postcrime factors. *Int J Offender Ther Comp Criminol* 2008;52(3):253-69. Epub 2007 Jul 17.
44. Johnston JC. *Northern aboriginal offenders in federal custody: a profile*. Ottawa, ON: Correctional Service of Canada; 1994. Available from: www.csc-ccc.gc.ca/research/r36e-eng.shtml. Accessed 2014 Jul 25.
45. Campbell MA. The relative contribution of psychopathy and traditional risk factors in predicting young offender recidivism [dissertation]. *Diss Abstr Int* 2003;65(3-B):1539.
46. Stewart L, Gabora N, Kropp R, Lee Z. *Family violence programming: treatment outcome for Canadian federally sentenced offenders*. Ottawa, ON: Correctional Service of Canada; 2008. Available from: www.csc-ccc.gc.ca/research/r174-eng.shtml. Accessed 2014 Dec 11.
47. Stewart LA, Gabora N, Kropp PR, Lee Z. Effectiveness of risk-needs-responsivity-based family violence programs with male offenders. *J Fam Violence* 2014;29(2):151-64.
48. McCreary Centre Society. *Time out. A profile of BC youth in custody*. Vancouver, BC: McCreary Centre Society; 2001.
49. Gander S, Scholten V, Osswald I, Sutton M, van Wylick R. Cervical dysplasia and associated risk factors in a juvenile detainee population. *J Pediatr Adolesc Gynecol* 2009;22(6):351-5. Epub 2009 Jul 9.
50. Marshall LE, Marshall WL. Sexual addiction in incarcerated sexual offenders. *Sex Addict Compulsivity* 2006;13(4):377-90.
51. Treveathan S, Auger S, Moore JP. *The effect of family disruption on aboriginal and non-aboriginal inmates*. Ottawa, ON: Correctional Service of Canada; 2001. Available from: www.csc-ccc.gc.ca/research/r113-eng.shtml. Accessed 2015 Jan 13.
52. Nicholls TL, Lee Z, Corrado RR, Ogloff JRP. Women inmates' mental health needs: evidence of the validity of the Jail Screening Assessment Tool (JSAT). *Int J Forensic Ment Health* 2004;3(2):167-84.
53. A health care needs assessment of federal inmates in Canada. *Can J Public Health* 2004;95(Suppl 1):S9-63.
54. John Howard Society of Toronto. *Homeless and jailed: jailed and homeless*. Toronto, ON: John Howard Society of Toronto; 2010. Available from: www.johnhoward.ca/documents/JHS-Toronto-Report-Homeless-and-Jailed.pdf. Accessed 2014 Jul 31.
55. Penner Hutton K. Deliberate self-harm in an incarcerated population of youth: an examination of prevalence rates, risk, and protective factors [dissertation]. *Diss Abstr Int* 2011;74(4-B[E]):Sef.
56. Martin RE, Gold F, Murphy W, Remple V, Berkowitz J, Money D. Drug use and risk of bloodborne infections: a survey of female prisoners in British Columbia. *Can J Public Health* 2005;96(2):97-101.
57. Plourde C, Brochu S. Drugs in prison: a break in the pathway. *Subst Use Misuse* 2002;37(1):47-63.
58. Crocker AG, Côté G, Toupin J, St-Onge B. Rate and characteristics of men with an intellectual disability in pre-trial detention. *J Intellect Dev Disabil* 2007;32(2):143-52.
59. Sun F, Cousineau MM, Brochu S, White ND. Consumption of substances psychoactives et degré du crime. *Can J Criminol Crim Justice* 2004;46(1):1-26.
60. Employment and Social Development Canada. *Indicators of well-being in Canada*. Ottawa, ON: Employment and Social Development Canada; 2015. Available from: <http://www4.hrsdc.gc.ca/3ndic.1t.4r@-eng.jsp?iid=29>. Accessed 2015 Jan 15.
61. Antonowicz D, Winterdyk J. A review of deaths in custody in three Canadian provinces. *Can J Criminol Crim Justice* 2014;56(1):85-103.
62. Wobeser WL, Datema J, Bechara B, Ford P. Causes of death among people in custody in Ontario, 1990-1999. *CMAJ* 2002;167(10):1109-13.
63. Sapers H. *Annual report of the Office of the Correctional Investigator, 2013-2014*. Ottawa, ON: The Correctional Investigator Canada; 2014. Available from: www.oci-bec.gc.ca/cnt/rpt/pdf/anrpt/anrpt20132014-eng.pdf. Accessed 2014 Nov 25.
64. Public Safety Canada. *Corrections and conditional release statistical overview*. Ottawa, ON: Public Safety Canada; 2013. Available from: www.publicsafety.gc.ca/cnt/rsrsc/pblctns/crrctns-cndtl-rls-2013/crrctns-cndtl-rls-2013-eng.pdf. Accessed 2014 Nov 25.
65. Statistics Canada. *Table 102-0561. Leading causes of death, total population, by age group and sex, Canada*. Ottawa, ON: Statistics Canada; 2014. Available from: www5.statcan.gc.ca/cansim/a26?lang=eng&iid=1020561. Accessed 2015 Feb 15.
66. Seaman SR, Brettell RP, Gore SM. Mortality from overdose among injecting drug users recently released from prison: database linkage study. *BMJ* 1998;316(7129):426-8.
67. Bird SM, Hutchinson SJ. Male drugs-related deaths in the fortnight after release from prison: Scotland, 1996-99. *Addiction* 2003;98(2):185-90.
68. Verger P, Rotily M, Prudhomme J, Bird S. High mortality rates among inmates during the year following their discharge from a French prison. *J Forensic Sci* 2003;48(3):614-6.
69. Binswanger IA, Stern MF, Deyo RA, Heagerty PJ, Cheadle A, Elmore JG, et al. Release from prison—a high risk of death for former inmates. *N Engl J Med* 2007;356(2):157-65. Erratum in: *N Engl J Med* 2007;356(5):536.
70. Farrell M, Marsden J. Acute risk of drug-related death among newly released prisoners in England and Wales. *Addiction* 2008;103(2):251-5.
71. Krinsky CS, Lathrop SL, Brown P, Nolte KB. Drugs, detention, and death: a study of the mortality of recently released prisoners. *Am J Forensic Med Pathol* 2009;30(1):6-9.
72. Beaudette J. *Prevalence of mental health disorders among incoming federal offenders: Atlantic, Ontario, and Pacific regions*. Ottawa, ON: Correctional Service of Canada; 2013. Available from: www.csc-ccc.gc.ca/research/005008-err13-3-eng.shtml. Accessed 2014 Jul 2.
73. Bland RC, Newman SC, Thompson AH, Dyck RJ. Psychiatric disorders in the population and in prisoners. *Int J Law Psychiatry* 1998;21(3):273-9.
74. LaFortune D. Prevalence and screening of mental disorders in short-term correctional facilities. *Int J Law Psychiatry* 2010;33(2):94-100. Epub 2010 Jan 15.
75. Reznaroff SN, Moniruzzaman A, Gress C, Somers JM. Psychiatric diagnoses and multiyear criminal recidivism in a Canadian provincial offender population. *Psychol Public Policy Law* 2013;19(4):443-53.
76. Stewart L, Wilton G, Cousineau C. *Federally sentenced offenders with mental disorders: correctional outcomes and correctional response*. Ottawa, ON: Correctional Service of Canada; 2012.
77. Turner NE, Preston DL, McAvoy S, Gillam L. Problem gambling inside and out: the assessment of community and institutional problem gambling in the Canadian correctional system. *J Gamb Stud* 2013;29(3):435-51.
78. Douglas KS, Guy LS, Edens JF, Boer DP, Hamilton J. The Personality Assessment Inventory as a proxy for the Psychopathy Checklist Revised: testing the incremental validity and cross-sample robustness of the antisocial features scale. *Assessment* 2007;14(3):255-69.
79. Vincent GM, Vitacco MJ, Grisso T, Corrado RR. Subtypes of adolescent offenders: affective traits and antisocial behavior patterns. *Behav Sci Law* 2003;21(6):695-712.

80. Abracen J, Looman J, Di Fazio R, Kelly T, Stirpe T. Patterns of attachment and alcohol abuse in sexual and violent non-sexual offenders. *J Sex Aggress* 2006;12(1):19-30.
81. Lee Z, Klaver JR, Hart SD, Moretti MM, Douglas KS. Short-term stability of psychopathic traits in adolescent offenders. *J Clin Child Adolesc Psychol* 2009;38(5):595-605.
82. Boe R, Vuong B. Mental health trends among federal inmates. *Forum Corrections Res* 2002;14(2):6-9. Available from: www.nccrjrs.gov/pdffiles1/Digitization/199340-199351NCRJS.pdf. Accessed 2014 Dec 14.
83. Brink JH, Doherty D, Boer A. Mental disorder in federal offenders: a Canadian prevalence study. *Int J Law Psychiatry* 2001;24(4-5):339-56.
84. Preston DL, McAvoy S, Saunders C, Gillam L, Saied A, Turner NE. Problem gambling and mental health comorbidity in Canadian federal offenders. *Crim Justice Behav* 2012;39(10):1373-88.
85. Ashley Smith coroner's jury rules prison death a homicide. *CBC News* (New Brunswick) 2013 Dec 9.
86. White P. Who killed Eddie Snowshoe: the fatal sentence of solitary confinement. *The Globe and Mail* 2014 Dec 5.
87. Office of the Correctional Investigator. *Risky business: an investigation of the treatment and management of chronic self-injury among federally sentenced women*. Ottawa, ON: The Correctional Investigator Canada; 2013. Available from: www.oct-bec.gc.ca/cnt/rpt/pdf/oth-aut/oth-aut20130930-eng.pdf. Accessed 2016 Jan 25.
88. Power J, Brown SL, Usher AM. Prevalence and incidence of nonsuicidal self-injury among federally sentenced women in Canada. *Crim Justice Behav* 2013;40(3):302-20.
89. Power J. Non-suicidal self-injury in federally sentenced women: prevalence, nature, motivations, and pathways [dissertation]. *Diss Abstr Int* 2011;73(4-B):2515.
90. Power J, Usher A. *Correlates and trajectories to self-injurious behaviour in federally sentenced women*. Ottawa, ON: Correctional Service of Canada; 2011. Available from: www.csc-cc.gc.ca/research/005008-0245-eng.shtm. Accessed 2014 Jun 18.
91. Power J, Gordon A, Sapers J, Beaudette J. *A replication study of self-injury incidents in CSC institutions over a thirty-month period*. Ottawa, ON: Correctional Service of Canada; 2012. Available from: www.csc-cc.gc.ca/research/005008-0293-eng.shtm. Accessed 2014 Jun 16.
92. Brochu S, Guyon L, Desjardins L. Comparative profiles of addicted adult populations in rehabilitation and correctional services. *J Subst Abuse Treat* 1999;16(2):173-82.
93. Daigle MS, Côté G. Nonfatal suicide-related behavior among inmates: testing for gender and type differences. *Suicide Life Threat Behav* 2006;36(6):670-81.
94. Daigle M, Côté G. *Dépistage systématique et prise en charge des hommes incarcérés suicidaires*. Québec city, QC: Direction générale des services correctionnels du Québec; 2002. Available from: www.crise.ca/e-docs/daigle2002_hommes.pdf. Accessed 2014 Dec 2.
95. Mills JF, Kroner DG. Screening for suicide risk factors in prison inmates: evaluating the efficiency of the Depression, Hopelessness and Suicide Screening Form (DHS). *Legal Criminol Psychol* 2005;10(1):1-12.
96. Archambault K, Stewart L, Wilton G, Cousineau C. *Initial results of the Computerized Mental Health Intake Screening System (COMHISS) for federally sentenced women*. Ottawa, ON: Correctional Service of Canada; 2010. Available from: www.csc-cc.gc.ca/research/005008-0230-eng.shtm. Accessed 2016 Jan 25.
97. Robinson D, Mirabelli L. *Summary of findings of the 1995 CSC National Inmate Survey*. Ottawa, ON: Correctional Service of Canada; 1996. Available from: www.csc-cc.gc.ca/research/b14e-eng.shtm. Accessed 2014 Nov 18.
98. Bistodeau D, Daigle M. La prévention du suicide en milieu carcéral: évaluation d'une expérience novatrice. *Rev Psychosoc* 2000;29(1):49-64.
99. Daigle MS, Labelle R, Côté G. Further evidence of the validity of the Suicide Risk Assessment Scale for prisoners. *Int J Law Psychiatry* 2006;29(5):343-54. Epub 2006 Jun 8.
100. Plourde C, Brochu S, Gendron A, Brunelle N. Pathways of substance use among female and male inmates in Canadian federal settings. *Prison J* 2012;92(4):506-24.
101. Mullins P, Farrell MacDonald S. *Offender substance use patterns—aboriginal and non-aboriginal offenders*. Ottawa, ON: Correctional Service of Canada; 2012. Available from: www.csc-cc.gc.ca/research/005008-rs12-10-eng.shtm. Accessed 2014 Jul 24.
102. Lasnier B, Cantinotti M, Guyon L, Royer A, Brochu S, Chayer L. Implementing an indoor smoking ban in prison: enforcement issues and effects on tobacco use, exposure to second-hand smoke and health of inmates. *Can J Public Health* 2011;102(4):249-53.
103. Health Canada. *Canadian Tobacco Use Monitoring Survey (CTUMS) 2012*. Ottawa, ON: Health Canada; 2013. Available from: www.hc-sc.gc.ca/hc-ps/tobac-tabac/research-recherche/stat/ctums-esutc-2012-eng.php. Accessed 2015 Jan 31.
104. Young SJ, Longstaffe S, Tenenbein M. Inhalant abuse and the abuse of other drugs. *Am J Drug Alcohol Abuse* 1999;25(2):371-5.
105. Bell A, Trevelhan S, Allegri N. *A needs assessment of federal aboriginal women offenders*. Ottawa, ON: Correctional Service of Canada; 2004. Available from: www.csc-cc.gc.ca/research/r156-eng.shtm. Accessed 2014 Jul 25.
106. Brochu S, Cousineau MM, Gillet M, Cournoyer LG, Permenan K, Motiuk L. Drugs, alcohol, and criminal behaviour: a profile of inmates in Canadian federal institutions. *Forum Corrections Res* 2001;13(3):20-4.
107. Kinner SA, Milloy MJ, Wood E, Qi J, Zhang R, Kerr T. Incidence and risk factors for non-fatal overdose among a cohort of recently incarcerated illicit drug users. *Addict Behav* 2012;37(6):691-6. Epub 2012 Feb 7.
108. Kouyoumdjian FG, Calzavara LM, Kiefer L, Main C, Bondy SJ. Drug use prior to incarceration and associated socio-behavioural factors among males in a provincial correctional facility in Ontario, Canada. *Can J Public Health* 2014;105(3):e198-202.
109. Zakaria D, Thompson JM, Jarvis A, Borgatta F. *Summary of emerging findings from the 2007 National Inmate Infectious Diseases and Risk-Behaviours Survey*. Ottawa, ON: Correctional Service of Canada; 2010. Available from: www.csc-cc.gc.ca/005/008/092/005008-0211-01-eng.pdf. Accessed 2014 Jun 16.
110. Canada: study provides further evidence of risk of hepatitis C and HIV transmission in prisons. *HIV AIDS Policy Law Rev* 2004;9(3):45-6.
111. DeBeck K, Kerr T, Li K, Milloy MJ, Montaner J, Wood E. Incarceration and drug use patterns among a cohort of injection drug users. *Addiction* 2009;104(1):69-76.
112. Johnson S, Farrell MacDonald S, Cheverie M. *Characteristics of participants in the methadone maintenance treatment (MMT) program*. Ottawa, ON: Correctional Service of Canada; 2011. Available from: www.csc-cc.gc.ca/research/005008-0253-eng.shtm. Accessed 2014 Dec 4.
113. Burchell AN, Calzavara LM, Myers T, Schlossberg J, Millson M, Escobar M, et al. Voluntary HIV testing among inmates: sociodemographic, behavioral risk, and attitudinal correlates. *J Acquir Immune Defic Syndr* 2003;32(5):534-41.
114. Calzavara LM, Burchell AN, Schlossberg J, Myers T, Escobar M, Wallace E, et al. Prior opiate injection and incarceration history predict injection drug use among inmates. *Addiction* 2003;98(9):1257-65.
115. Farrell S, Ross J, Termes M, Kunic D. *Prevalence of injection drug use among male offenders*. Ottawa, ON: Correctional Service of Canada; 2010. Available from: www.csc-cc.gc.ca/research/005008-rs10-02-eng.shtm. Accessed 2014 Jul 29.
116. Martin RE, Hislop TG, Moravan V, Grams GD, Calam B. Three-year follow-up study of women who participated in a cervical cancer screening intervention while in prison. *Can J Public Health* 2008;99(4):262-6.
117. Dufour A, Alary M, Poulin C, Allard F, Noël L, Trottier G, et al. Prevalence and risk behaviours for HIV infection among inmates of a provincial prison in Quebec City. *AIDS* 1996;10(9):1009-15.
118. Ford PM, Pearson M, Sankar-Mistry P, Stevenson T, Bell D, Austin J. HIV, hepatitis C and risk behaviour in a Canadian medium-security federal penitentiary. Queen's University HIV Prison Study Group. *QJM* 2000;93(2):113-9.
119. Poulin C, Alary M, Lambert G, Godin G, Landry S, Gagnon H, et al. Prevalence of HIV and hepatitis C virus infections among inmates of Quebec provincial prisons. *CMAJ* 2007;177(3):252-6.
120. Zakaria D. *Relationships between lifetime health risk-behaviours and self-reported human immunodeficiency virus and hepatitis C virus infection status among Canadian federal inmates*. Ottawa, ON: Public Safety Canada; 2012. Available from: www.publicsafety.gc.ca/lbr/archives/cn21491-eng.pdf. Accessed 2014 Jun 16.
121. Buxton JA, Rothon D, Durigon M, Godin G, Landry S, Gagnon H, et al. Hepatitis C and HIV prevalence using oral mucosal transudate, and reported drug use and sexual behaviours of youth in custody in British Columbia. *Can J Public Health* 2009;100(2):121-4.
122. Grant BA, Kunic D, MacPherson P, McKeown C, Hansen E. *The High Intensity Substance Abuse Program (HISAP): results from the pilot programs*. Ottawa, ON: Correctional Service of Canada; 2004. Available from: www.csc-cc.gc.ca/research/r140-eng.shtm. Accessed 2014 Jul 28.
123. Grant BA, Varis DD, Lefebvre D. *Intensive support units (ISU) for federal offenders with substance abuse problems: an impact analysis*. Ottawa, ON: Correctional Service of Canada; 2005. Available from: www.csc-cc.gc.ca/research/r151-eng.shtm. Accessed 2014 Jul 30.
124. Johnson S, Cheverie M, Moser A. *Assessing the impact of enhanced drug interdiction activities at Kingston Penitentiary: a pilot study*. Ottawa, ON: Correctional Service of Canada; 2010. Available from: www.csc-cc.gc.ca/research/005008-0232-eng.shtm. Accessed 2014 Jul 28.
125. Wood E, Li K, Small W, Montaner JS, Schechter WT, Kerr T. Recent incarceration independently associated with syringe sharing by injection drug users. *Public Health Rep* 2005;120(2):150-6.
126. Clarke JF, Stein LA, Martin RA, Martin SA, Parker D, Lopes CE, et al. Forced smoking abstinence: not enough for smoking cessation. *JAMA Intern Med* 2013;173(9):789-94.
127. Kouyoumdjian FG, McIsaac KE, Liauw J, Green S, Karachiwalla F, Siu W, et al. A systematic review of randomized controlled trials of interventions to improve the health of persons during imprisonment and in the year after release. *Am J Public Health* 2015;105(4):e13-33. Epub 2015 Feb 25.
128. Canadian Thoracic Society. *Canadian tuberculosis standards*. 7th ed. Ottawa, ON: Canadian Thoracic Society, Public Health Agency of Canada; 2013. Available from: www.respiratoryguidelines.ca/tb-standards-2013. Accessed 2014 Jan 8.
129. Correctional Service of Canada. *Infectious disease surveillance in Canadian federal penitentiaries 2007-2008: pre-release report*. Ottawa, ON: Correctional Service of Canada; 2012. Available from: www.csc-cc.gc.ca/text/pblct/infdsfcp-2007-08/index-eng.shtm. Accessed 2014 Nov 18.
130. Calzavara L, Ramuscak N, Burchell AN, Swantee C, Myers T, Ford P, et al. Prevalence of HIV and hepatitis C virus infections among inmates of Ontario remand facilities. *CMAJ* 2007;177(3):257-61. Erratum in: *CMAJ* 2007;177(5):489.
131. Calzavara LM, Major C, Myers T, Schlossberg J, Millson M, Wallace E, et al. The prevalence of HIV-1 infection among inmates in Ontario, Canada. *Can J Public Health* 1995;86(5):335-9.
132. Ford PM, White C, Kaufmann H, MacTavish J, Pearson M, Ford S, et al. Seroprevalence of hepatitis C in a Canadian federal penitentiary for women. *Can Commun Dis Rep* 1995;21(14):132-4.
133. Ford PM, White C, Kaufmann H, MacTavish J, Pearson M, Ford S, et al. Voluntary anonymous linked study of the prevalence of HIV infection and hepatitis C among inmates in a Canadian federal penitentiary for women. *CMAJ* 1995;153(11):1605-9.
134. Pearson M, Mistry PS, Ford PM. Voluntary screening for hepatitis C in a Canadian federal penitentiary for men. *Can Commun Dis Rep* 1995;21(14):134-6.
135. Rothon DA, Mathias RG, Schechter MT. Prevalence of HIV infection in provincial prisons in British Columbia. *CMAJ* 1994;151(6):781-7.
136. Ford PM, Alifio A, Connop PJ, Panaro L, Zoutman D. Seroprevalence of HIV-1 in a male medium security penitentiary—Ontario. *Can Commun Dis Rep* 1994;20(6):45-7.
137. Thompson J, Zakaria D, Grant B. *Aboriginal men: a summary of the findings of the 2007 National Inmate Infectious Diseases and Risk-Behaviours Survey*. Ottawa, ON: Correctional Service of Canada; 2011. Available from: www.csc-cc.gc.ca/research/005008-0237-eng.shtm. Accessed 2014 Jun 16.
138. Gagnon H, Godin G, Alary M, Lambert G, Lambert LD, Landry S. Prison inmates' intention to demand that bleach be used for cleaning tattooing and piercing equipment. *Can J Public Health* 2007;98(4):297-300.
139. Kouyoumdjian FG, Main C, Calzavara LM, Kiefer L. Prevalence and predictors of urethral chlamydia and gonorrhoea infection in male inmates in an Ontario correctional facility. *Can J Public Health* 2011;102(3):220-4.
140. Bartlett L, Kanellos-Sutton M, van Wylick R. Immunization rates in a Canadian juvenile corrections facility. *J Adolesc Health* 2008;43(6):609-11. Epub 2008 Jun 24.
141. Alary M, Godin G, Lambert G. *Étude de prévalence du VIH et de l'hépatite C chez les personnes incarcérées au Québec et pistes pour l'intervention*. Québec city, QC: Ministère de la santé et des services sociaux; 2005. Available from: www.msss.gouv.qc.ca/sujets/prob_sante/itss/download.php?3FF=63c832872bd9bbae6bee20076203959. Accessed 2014 Dec 1.

142. Martin RE. A review of a prison cervical cancer screening program in British Columbia. *Can J Public Health* 1998;89(6):382-6.
143. Bonnycastle KD, Villebrun C. Injecting risk into prison sentences. A quantitative analysis of a prisoner-driven survey to measure HCV/HIV seroprevalence, risk practices, and viral testing at one Canadian male federal prison. *Prison J* 2011;91(3):325-46.
144. Thompson J, Zakaria D, Grant B. *Summary of the 2007 National Inmate Infectious Diseases and Risk-Behaviours Survey for Women*. Ottawa, ON: Correctional Service of Canada; 2011. Available from: www.csc-ccc.gc.ca/research/005008-0238-eng.shtml. Accessed 2014 Jun 16.
145. Rothon DA, Strathdee SA, Cook D, Cornelisse PG. Determinants of HIV-related high risk behaviours among young offenders: a window of opportunity. *Can J Public Health* 1997;88(1):14-7.
146. Calzavara L, Burchell A. Developing effective HIV prevention programs for inmates: results from an Ontario-wide survey. *Can HIV AIDS Policy Law News* 1999;5(1):32-4, 39-42.
147. Barrett MR, Allenby K, Taylor K. *Twenty years later: revisiting the task force on federally sentenced women*. Ottawa, ON: Correctional Service of Canada; 2010. Available from: www.csc-ccc.gc.ca/research/005008-0222-eng.shtml. Accessed 2014 Jul 24.
148. Liauw J. *Unintended pregnancy and contraceptive use among incarcerated women in Ontario, Canada*. Paper presented at: 8th Academic and Health Policy Conference on Correctional Health; 2015 Mar 19-20; Boston, Mass.
149. Clarke JG, Rosengard C, Rose JS, Hebert MR, Peipert J, Stein MD. Improving birth control service utilization by offering services pre-release vs postincarceration. *Am J Public Health* 2006;96(5):840-5. Epub 2006 Mar 29.
150. Todd KL. A neuropsychological study of traumatic brain injury among a Canadian sample of male federal offenders [dissertation]. *Diss Abstr Int* 2010;71(11-B):7069.
151. Lee J, Vlahov D, Freudenberg N. Primary care and health insurance among women released from New York City jails. *J Health Care Poor Underserved* 2006;17(1):200-17.
152. Wang EA, Hong CS, Shavit S, Sanders R, Kessell E, Kushel MB. Engaging individuals recently released from prison into primary care: a randomized trial. *Am J Public Health* 2012;102(9):e22-9. Epub 2012 Jul 19.
153. Wang EA, Wang Y, Krumholz HM. A high risk of hospitalization following release from correctional facilities in Medicare beneficiaries: a retrospective matched cohort study, 2002 to 2010. *JAMA Intern Med* 2013;173(17):1621-8.
154. Public Safety Canada. *2008 Corrections and conditional release statistical overview*. Ottawa, ON: Public Safety Canada; 2008. Available from: www.publicsafety.gc.ca/cnt/rsrccs/pblctns/2008-ccrs/index-eng.aspx. Accessed 2014 Dec 11.
155. Sapers H. *Annual report of the Office of the Correctional Investigator, 2012-2013*. Ottawa, ON: The Correctional Investigator Canada; 2013. Available from: www.ocibec.gc.ca/cnt/rpt/pdf/annrpt/annrpt20122013-eng.pdf. Accessed 2016 Jan 25.
156. Stewart LA, Wilton G. *Validation of the Computerised Mental Health Intake Screening System (CoMHIS) in a federal male offender population*. Ottawa, ON: Correctional Service of Canada; 2011. Available from: www.csc-ccc.gc.ca/research/005008-0244-eng.shtml. Accessed 2014 Jul 2.
157. Langner N, Barton J, McDonagh D, Noël C, Bouchard F. Rates of prescribed medication use by women in prison. *Forum Corrections Res* 2002;14(2):10-4. Available from: www.csc-ccc.gc.ca/publications/forum/e142/e142c-eng.shtml. Accessed 2014 Dec 4.
158. Plourde C, Brochu S. Medication and drug use during incarceration: homeostasis of a setting. *Int Med J* 2002;9(3):163-8.
159. Farley JD, Wong VK, Chung HV, Lim E, Walters G, Farley TA, et al. Treatment of chronic hepatitis C in Canadian prison inmates. *Can J Gastroenterol* 2005;19(3):153-6.
160. Farley J, Vasdev S, Fischer B, Haydon E, Rehm J, Farley TA. Feasibility and outcome of HCV treatment in a Canadian federal prison population. *Am J Public Health* 2005;95(10):1737-9. Epub 2005 Aug 30.
161. Farley J, Truong A, Nguyen TM, Shum W. Inmate community health re-integration services: a model of care for former inmate population [abstract 1804]. *Hepatology* 2012;56(Suppl 4):1034A.
162. Zakaria D, Thompson J, Jarvis A, Smith J. *Testing and treatment for human immunodeficiency virus and hepatitis C virus infections among Canadian federal inmates*. Ottawa, ON: Correctional Service of Canada; 2010. Available from: www.csc-ccc.gc.ca/research/005008-0223-eng.shtml. Accessed 2014 Jun 16.
163. Farley J, Truong A, Horvath G, Nguyen T, Shum W. Re-infection of hepatitis C virus infection in HIV/HCV co-infected inmates of correctional institutions, Canada [abstract]. *J Int AIDS Soc* 2012;15(Suppl 4):18422.
164. Kouyoumdjian FG, Schuler A, Hwang SW, Matheson FI. Research on the health of people who experience detention or incarceration in Canada: a scoping review. *BMC Public Health* 2015;15:419.
165. Cook DJ, Mulrow CD, Haynes RB. Systematic reviews: synthesis of best evidence for clinical decisions. *Ann Intern Med* 1997;126(5):376-80.
166. Fazel S, Baillargeon J. The health of prisoners. *Lancet* 2011;377(9769):956-65. Epub 2010 Nov 18.
167. Kinner SA, Lennox N, Williams GM, Carroll M, Quinn B, Boyle FM, et al. Randomised controlled trial of a service brokerage intervention for ex-prisoners in Australia. *Contemp Clin Trials* 2013;36(1):198-206. Epub 2013 Jul 10.
168. Kinner SA, Wang EA. The case for improving the health of ex-prisoners. *Am J Public Health* 2014;104(8):1352-5. Epub 2014 Jun 12.
169. Lee H, Wildeman C, Wang EA, Matusko N, Jackson JS. A heavy burden: the cardiovascular health consequences of having a family member incarcerated. *Am J Public Health* 2014;104(3):421-7. Epub 2014 Jan 16.
170. Wildeman C, Schnittker J, Turney K. Despair by association? The mental health of mothers with children by recently incarcerated fathers. *Am Sociol Rev* 2012;77(2):216-43.
171. Green KE, Ensminger ME, Robertson JA, Juon HS. Impact of adult sons' incarceration on African American mothers' psychological distress. *J Marriage Fam* 2006;68(2):430-41.
172. Wildeman C, Andersen SH, Lee H, Karlson KB. Parental incarceration and child mortality in Denmark. *Am J Public Health* 2014;104(3):428-33. Epub 2014 Jan 16.
173. Thomas JC, Torrone E. Incarceration as forced migration: effects on selected community health outcomes. *Am J Public Health* 2006;96(10):1762-5.
174. Freudenberg N, Daniels J, Crum M, Perkins T, Richie BE. Coming home from jail: the social and health consequences of community reentry for women, male adolescents, and their families and communities. *Am J Public Health* 2005;95(10):1725-36.
175. Fu JJ, Herme M, Wickersham JA, Zelenev A, Althoff A, Zaller ND, et al. Understanding the revolving door: individual and structural-level predictors of recidivism among individuals with HIV leaving jail. *AIDS Behav* 2013;17(Suppl 2):S145-55.
