

Appendix: Detailed information on data collection

| Variable Name | Means of collection | Format collected | Format used in the analysis |
|--|--|-------------------|---|
| Age | Administrative database | Age in years | Categorical (<85, ≥85) |
| Female gender | Administrative database | Categorical | Categorical (Female vs. Male) |
| Living arrangement | Interview questionnaire | Categorical | Categorical (Lives alone, with adults, in autonomous residence) |
| Health status | Interview questionnaire | Categorical | Ordinal (Not-Good to Excellent) |
| Charlson Co-morbidity Score | Chart review | Continuous score | Continuous score, truncated up to 3 or more |
| Identification of Seniors At Risk score | Chart review + Interview questionnaire | Continuous score | Categorical (<2 or ≥2) |
| Barthel Index | Interview questionnaire | Continuous score | Categorical (≤80, 80-90, ≥90) |
| Number of medications | Interview questionnaire | Continuous number | Continuous number, truncated up to 16 |
| Previous emergency department visits within 6 months | Interview questionnaire | Categorical | Categorical (Yes/No) |
| Previous hospital admissions within 6 months | Interview questionnaire | Categorical | Categorical (Yes/No) |
| Receiving local community services | Interview questionnaire | Categorical | Categorical (Yes/No) |
| Receiving local community nurse visits | Interview questionnaire | Categorical | Categorical (Yes/No) |
| Receiving local community medical services | Interview questionnaire | Categorical | Categorical (Yes/No) |
| Followed by family physician | Interview questionnaire | Categorical | Categorical (Yes/No) |

Appendix: Detailed information on data collection (continued)

| Variable Name | Means of collection | Format collected | Format used in the analysis |
|---|----------------------------|-------------------------|--|
| Followed by specialist(s) | Interview questionnaire | Categorical | Categorical (Yes/No) |
| Contacted health care provider before ED visit | Interview questionnaire | Categorical | Categorical (Yes/No) |
| Contacted family doctor before ED visit | Interview questionnaire | Categorical | Categorical (Yes/No) |
| Difficulty with seeing family physician within 2 days for an urgent medical problem | Interview questionnaire | Categorical | Categorical (Difficult vs. Easy) |
| Difficulty in getting an appointment for a new problem | Interview questionnaire | Categorical | Categorical (Difficult vs. Easy) |
| Difficulty in speaking with family physician by telephone | Interview questionnaire | Categorical | Categorical (Difficult vs. Easy) |
| Ambulance arrival | Administrative database | Categorical | Categorical (Yes/No) |
| Triage level | Administrative database | Categorical | Ordinal (level 1 to level 5) |
| Top Diagnosis | Administrative database | Categorical | Categorical (Top several vs. other) |
| Admitted at the index visit | Administrative database | Categorical | Categorical (Yes/No) |
| Referred to primary care after discharge | Chart review | Categorical | Categorical (Yes/No) |
| Referred to outpatient clinic after discharge | Chart review | Categorical | Categorical (Yes/No) |
| Index Visit occurred on weekend | Administrative database | Categorical | Categorical (Yes/No) |
| Index Visit Shifts | Administrative database | Categorical | Categorical (Day, Evening, Night Shifts) |
| Length of stay in ED | Administrative database | Length in hours | Continuous |
| Length of stay in hospital ward | Administrative database | Length in days | Continuous |
| Return visits within 3 months | Interview questionnaire | Continuous number | Categorical (Yes/No) and as Count |

Table: Comparison between completed study patients and patients withdrawn after being enrolled, excluding death

| Variable Name | Patients in analysis N=1998 | Patients withdrawn after enrollment (Excluding death) N=126 |
|--------------------------------------|--|--|
| Age \geq 85 years | 33.7% | 36.5% |
| Female | 61.3% | 63.5% |
| Living arrangement | | |
| -- Lives alone | 34.2% | 35.7% |
| -- Lives with adults | 46.4% | 34.9% |
| -- Lives in autonomous residence | 19.4% | 29.4% |
| Health status (=Excellent) | 13.0% | 12.7% |
| Charlson Co-morbidity Score \geq 2 | 51.1% | 53.2% |
| Triage level (\leq 3) | 75.9% | 73.0% |
| Ambulance arrival | 55.4% | 67.5% |
| Top Diagnosis | | |
| -- Chest Pain | 7.2% | 4.0% |
| -- Pneumonia | 4.4% | 4.8% |
| -- Congested heart failure | 3.1% | 2.4% |
| -- General weakness | 2.7% | 4.8% |